City of Mt. Angel

PUBLIC WORKS DESIGN STANDARDS

September 1996
Last Updated November 2013

(based on September 2013 City staff review & Public Works requirements as adopted by Resolution 1417)

City of Mt. Angel, Oregon
PO Box 960
Mt. Angel, OR 97362
(503) 845-9291

PUBLIC WORKS DOCUMENTS ORDER FORM

Name: _____

Company/Organization: _____

Address: _____

City: _____ State: _____ Zip _____

Phone: _____ Fax: _____

____ Copies of City Development Ordinance @ $20.00 ..... $_____

____ Copies of City Zoning & Utility Maps @ $10.00..... $_____

____ Copies of Public Works Design Standards @ $35.00 ..... $_____

Postage & Shipping ..... $_____

Total $_____

Make Checks Payable to the City of Mt. Angel **Prepaid Orders Only**
Add $5.00 postage/shipping for orders that must be shipped (standard U.S. mail or UPS ground service).

Mail Orders to: City of Mt. Angel
PO Box 960
Mt. Angel, OR 97362

Available at: Mt. Angel City Hall
5 Garfield Street
Mt. Angel, OR 97362

CITY OF MT. ANGEL
PUBLIC WORKS DESIGN STANDARDS

TABLE OF CONTENTS

Section **Page**

DIVISION 1 GENERAL REQUIREMENTS 1-1
1.1 GENERAL 1-1
1.2 PURPOSE 1-2
1.3 ENGINEERING POLICY 1-2
1.4 DEFINITIONS AND TERMS 1-3
1.5 LOCATION OF UTILITIES WITHIN RIGHT-OF-WAY OR EASEMENT 1-5
1.6 PROVIDING FOR FUTURE DEVELOPMENT 1-5
1.7 TIME LIMITS FROM DRAWING APPROVAL TO CONSTRUCTION 1-6
1.8 PHASED DEVELOPMENT 1-6
1.9 REVIEW PROCEDURE 1-6
1.10 SUBMITTAL REQUIREMENTS 1-8
1.11 VARIANCES TO DESIGN STANDARDS 1-18
1.12 PRECONSTRUCTION CONFERENCE 1-19
1.13 CONSTRUCTION INSPECTION 1-20
1.14 AS-BUILT DRAWINGS 1-24

DIVISION 2 STREETS 2-1
2.1 PURPOSE 2-1
2.2 APPLICABILITY 2-1
2.3 SPECIAL ITEMS 2-2
2.4 APPROVAL OF ALTERNATE MATERIALS AND METHODS 2-2
2.5 CONSTRUCTION DRAWINGS 2-2
2.6 STANDARD DETAILS 2-3
2.7 EXISTING STREET CLASSIFICATIONS 2-3
2.8 OTHER JURISDICTIONS 2-3
2.9 DEFINITIONS AND TERMS 2-4
2.10 MATERIALS 2-6
2.11 IMPROVEMENT STANDARDS BY STREET CLASSIFICATION 2-9
2.12 STREET DESIGN AND MINIMUM SECTIONS 2-9
2.13 OVERLAYS 2-11
2.14 HORIZONTAL ALIGNMENT 2-12
2.15 MONUMENTATION 2-12
2.16 VERTICAL ALIGNMENT AND STREET GRADES 2-13
2.17 CROSS SECTIONS AND CROSS SLOPES 2-14
2.18 GRADING WITHIN PUBLIC RIGHT-OF-WAY 2-15
2.19 CURBS AND GUTTERS 2-15
2.20 SIDEWALKS 2-16
2.21 INTERSECTIONS 2-18
2.22 CLEAR VISION AREA 2-18
2.23 CUL-DE-SACS, TURNAROUNDS 2-20
2.24 STUB STREETS 2-20
2.25 TRANSITIONS 2-20
2.26 SUBSURFACE DRAINAGE 2-21
2.27 PARKING LOTS 2-21
2.28 DRIVEWAY SPACING 2-22
2.29 DRIVEWAYS AND DRIVEWAY APPROACHES 2-22
2.30 PRIVATE STREETS, COMMON DRIVEWAYS AND FLAGLOTS 2-23
2.31 STREET LIGHTING 2-24
2.32 BARRICADES AND GUARDRAILS 2-25

Copyright 1996
Westech Engineering, Inc.

CITY OF MT. ANGEL
PUBLIC WORKS DESIGN STANDARDS

TABLE OF CONTENTS

Section **Page**

2.33 BIKEWAYS 2-25
2.34 STREET SIGNS 2-26
2.35 CUTTING EXISTING STREETS 2-26

DIVISION 3 STORMWATER MANAGEMENT 3-1
3.1 PURPOSE 3-1
3.2 APPLICABILITY 3-1
3.3 SPECIAL ITEMS 3-2
3.4 APPROVAL OF ALTERNATE MATERIALS AND METHODS 3-3
3.5 CONSTRUCTION DRAWINGS 3-3
3.6 STANDARD DETAILS 3-3
3.7 DEFINITIONS AND TERMS 3-4
3.8 MATERIALS 3-6
3.9 Bore Casing & AccessoriesGENERAL DESIGN CONSIDERATIONS 3-11
3.10 DESIGN CALCULATIONS AND CAPACITY 3-13
3.11 OPEN CHANNELS 3-15
3.12 ALIGNMENT AND LOCATION 3-16
3.13 MINIMUM PIPE SIZE 3-18
3.14 MINIMUM COVER 3-18
3.15 MINIMUM SLOPE 3-19
3.16 UNDERGROUND WARNING TAPE 3-20
3.17 MANHOLES AND CATCH BASINS 3-20
3.18 DETENTION FACILITIES 3-23
3.19 PRIVATE STORM DRAINAGE COLLECTION SYSTEMS 3-26
3.20 DRYWELLS AND FRENCH DRAINS 3-26
3.21 STORM DRAIN SERVICE LATERALS 3-28

DIVISION 4 SANITARY SEWER 4-1
4.1 PURPOSE 4-1
4.2 APPLICABILITY 4-1
4.3 SPECIAL ITEMS 4-2
4.4 APPROVAL OF ALTERNATE MATERIALS AND METHODS 4-2
4.5 CONSTRUCTION DRAWINGS 4-3
4.6 STANDARD DETAILS 4-3
4.7 DEFINITIONS AND TERMS 4-3
4.8 MATERIALS 4-6
4.9 GENERAL DESIGN CONSIDERATIONS 4-10
4.10 DESIGN PERIOD 4-12
4.11 DESIGN BASIS & CAPACITY 4-12
4.12 MINIMUM SIZE 4-14
4.13 MINIMUM DEPTH 4-14
4.14 MINIMUM SLOPE 4-14
4.15 ALIGNMENT AND LOCATION 4-16
4.16 MANHOLES AND MAINLINE CLEANOUTS 4-19
4.17 WORK ON EXISTING SEWERS 4-23
4.18 SEWER SERVICE LATERALS 4-24
4.19 PRIVATE COLLECTION SYSTEMS 4-27
4.20 UNDERGROUND WARNING TAPE 4-27

DIVISION 5 WATER DISTRIBUTION 5-1
5.1 PURPOSE 5-1

Copyright 1996
Westech Engineering, Inc.

CITY OF MT. ANGEL
PUBLIC WORKS DESIGN STANDARDS

TABLE OF CONTENTS

Section		Page
5.2	APPLICABILITY	5-1
5.3	SPECIAL ITEMS	5-2
5.4	APPROVAL OF ALTERNATE MATERIALS AND METHODS	5-2
5.5	CONSTRUCTION DRAWINGS	5-3
5.6	STANDARD DETAILS	5-3
5.7	DEFINITIONS AND TERMS	5-3
5.8	MATERIALS	5-6
5.9	GENERAL DESIGN CONSIDERATIONS	5-18
5.10	WATER SYSTEM CAPACITY	5-19
5.11	LOOPING	5-20
5.12	BLOWOFFS	5-21
5.13	MINIMUM DEPTH	5-21
5.14	MINIMUM MAINLINE SIZE	5-22
5.15	ALIGNMENT AND LOCATION	5-23
5.16	VALVES	5-25
5.17	FIRE HYDRANTS	5-26
5.18	AIR RELEASE VALVES	5-28
5.19	WATER SERVICE LINES	5-28
5.20	WATER METERS	5-31
5.21	PRIVATE WATER SYSTEMS	5-32
5.22	BACKFLOW PREVENTION	5-33
5.23	UNDERGROUND WARNING TAPE	5-34
5.24	MAINLINE BORED CROSSINGS	5-34

APPENDICES

APPENDIX A – STANDARD DETAILS

• Division 1 - General Requirements — Latest Revision

101	Typical Utility Locations (Curbed Streets)	10/97
102	Typical Utility Locations (Turnpike and 3/4 Streets)	10/97

• Division 2 - Streets — Latest Revision

201	34' Residential Street, Minimum Section	9/13
201A	30' Residential Cul-de-sac, Minimum Section	9/13
201B	28' Residential Infill Street in Existing Right-of-Way, Minimum Section	9/13
201C	28' Residential Infill Street in New Right-of-Way, Minimum Section	9/13
202	36' Minor Collector Street, Minimum Section	9/13
202A	36' Major Collector Street, Minimum Section	9/13
203	40' Commercial/Industrial Street, Minimum Section	9/13
204	44' Arterial Street, Minimum Section	9/13
205	Standard Cul-de-sac (Residential)	9/13
206	Offset Cul-de-sac (Residential)	9/13
207	Eyebrow Cul-de-sac (Residential)	9/96
210	Type "A" Curb and Gutter and Weephole	9/13
211	Type "C" Curb and Weephole	9/13
212	Curbline Sidewalks and Driveway Apron	9/13

Copyright 1996
Westech Engineering, Inc.

CITY OF MT. ANGEL
PUBLIC WORKS DESIGN STANDARDS

TABLE OF CONTENTS

Section		Page
212A	Residential D/W Apron, Curbline Sidewalk, Steep Uphill Lots only	9/13
213	Property Line Sidewalks and Driveway Apron	9/13
213B	24" Deep, 30"φ, 4 Panel Root Barrier Tree Wells	9/13
213C	24" Deep, 38"φ, 5 Panel Root Barrier Tree Wells	9/13
214	Handicap Ramps	9/13
216	Commercial Driveway Approach	9/13
217	Curb Knockout for New Driveways on Existing Curbed Streets	10/97
220	Hammerhead Turnaround (Private Drives only)	9/13
225	Street Barricade (Stub Streets)	10/97
226	6-inch Bollard (Guard Post)	10/97
227	8-inch Bollard (Guard Post)	10/97
230	Typical Street Lamp Post	9/13
231	Sign Post for Street Signs, Stop Signs & Traffic Control Signs	9/13
232	Sign Post with TeleSpar Base & Anchor (Required in ODOT R.O.W)	9/13
235	Offstreet Parking Dimensions, One Way Traffic Flow	9/13
236	Offstreet Parking Dimensions, Two Way Traffic Flow	9/13
237	Double Accessible Parking Space	9/13
238	Accessible Routes and Crossings in Vehicular Areas	9/13
239	Precast Wheelstop Detail	9/13
240	Trash and Recycling Enclosure	9/96

• Division 3 – Stormwater Management — Latest Revision

- For full size manholes, see Details 401 – 403A
- For storm sewer service laterals, see Details 415 & 416
- For bore casing detail, see Detail 508

301	Trench Backfill, Bedding and Pipe Zone	10/13
302	Minor or Private Street & AC Driveway Cut Surface Restoration	9/13
302A	AC Street Cut Surface Restoration w/Bench Grind	9/13
302B	AC Street Cut for Street Widening	9/13
303	Gravel Surface Restoration	9/13
304	Native Surface Restoration	2/02
310	Standard Side-Inlet Grated Catch Basin	9/13
311	Oversize Side-Inlet Grated Catch Basin	9/13
312	Catch Basin Grate Details	10/97
313	Type 3 Ditch Inlet Catch Basin	10/97
315	Parking Lot Catch Basin (Precast Concrete)	9/13
316	Parking Lot Catch Basin (Lynch Style)	9/13
317	Parking Lot Catch Basin (Traffic Rated PVC w/Trap, Ductile Iron Frame/Grate)	9/13
320	Pollution/Flow Control Manhole	9/13
330	Kuenzi Manhole	9/13
350	24" Diameter Storm Manhole	9/13

Copyright 1996
Westech Engineering, Inc.

CITY OF MT. ANGEL
PUBLIC WORKS DESIGN STANDARDS

TABLE OF CONTENTS

Section **Page**

351 24" Diameter Storm Manhole (Traffic Rates PVC w/Solid Ductile Iron Frame/Cover) 9/13
355 Private Area Drain, Non-Traffic Areas 9/13
362 Concrete Pipe End Cap with Grate 9/13

Test Reports
- Storm Sewer Mandrel Test Report

• Division 4 – Sanitary Sewers Latest Revision
- For trench backfill and surface restoration, see Details 301 – 304
- For bore casing detail, see Detail 508

401 Standard Manhole for 21" Pipe and Smaller 9/13
402 Flattop Manhole for 21" Pipe and Smaller 9/13
403 Manhole for 24" and 27" Pipe 9/13
403A Deep Manhole for 24" and 27" Pipe 9/13
404 Inside Drop Connection for Sanitary Sewer Manhole 9/13

405 Manhole Frame and Cover (Standard and Suburban) 10/97
406 Lockdown Manhole Frame and Cover 10/97
407 Manhole Rim Adjustment Details 9/13

411 Mainline Cleanout 9/13

415 Sewer & Storm Service Lateral 9/13
416 Standard Service Lateral Cleanout 9/13
419 Inserta-Tee Connection to Existing Sewer or Storm Drain 9/13

Test Reports
- Manhole Vacuum Test Report
- Sanitary Sewer Air Test Report
- Sanitary Sewer Mandrel Test Report
- Pipeline TV Inspection Report

• Division 5 – Water Distribution Latest Revision
- For trench backfill and surface restoration, see Details 301 - 304

501 Gate Valve and Valve Box Detail 9/13
502 Butterfly Valve and Valve Box Detail 9/13
503 Standard Fire Hydrant Assembly 9/13

505 Tapping Tee and Valve 9/13
506 Mainline Blowoff Assembly 9/13
507 Standard Blowoff with Plugged End 9/13
508 Bore Casing, Carrier Pipe & Casing Spacer Detail 9/13

510 Horizontal Thrust Blocking 10/97
511 Straddle Block for 12" & Smaller Pipe 9/13
512 Vertical Thrust Blocking 10/97

515 Typical 1" Water Service 9/13

Copyright 1996
Westech Engineering, Inc.

CITY OF MT. ANGEL
PUBLIC WORKS DESIGN STANDARDS

TABLE OF CONTENTS

Section		Page
516	1½" and 2" Meter Set with 1" High Bypass	9/13
517	Tapping Requirements, 1½" & Larger Service	9/13
518	1" Combination Air Release Valve (CARV)	9/13
523	3" Domestic Water Meter	9/13
524	4" Domestic Water Meter	9/13
541	2" & Smaller Reduced Pressure Backflow Assembly	9/13
543	3" Reduced Pressure Backflow Assembly	9/13
544	4" Reduced Pressure Backflow Assembly	9/13
554	4" Double Check Detector Assembly w/FDC	9/13
555	6" Double Check Detector Assembly w/FDC	9/13
556	8" Double Check Detector Assembly w/FDC	9/13
560	FDC Line, Check Valve &/or Ball Drip Valve, & Close Bottom Drain Structure	10/13
561	FDC Line, Check Valve &/or Ball Drip Valve, & Open Bottom Drain Structure	10/13
562	FDC Line Ball Drip Drain Valve (Check Valve in Building), Open Bottom Drain Structure	10/13

Test Reports

- Waterline Pressure Test Report

• Division 6 - Erosion Control

610	Temporary Construction Entrance	9/13
611	Sediment Barriers	9/13
612	Straw Wattle Sediment Barrier	9/13
613	Inlet Sediment Control	9/13
614	Ditch & Swale Protection	9/13
615	Silt Sack Inlet Detail	9/13

APPENDIX B - Standard Construction Notes

APPENDIX C - Utility Companies And Agencies

APPENDIX D - Standard Easement Forms, Etc.

APPENDIX E - Sample Insurance Certificates

APPENDIX F - Adopting Ordinance & Resolutions

APPENDIX G - Plan Review, Permit & Construction Requirements & Procedures

Copyright 1996
Westech Engineering, Inc.

PREFACE

These design standards have been developed by the City of Mt. Angel to provide a uniform set of standards for public improvements. The intent of these standards is to provide guidelines for the construction of public facilities that will provide an adequate service level for the present as well as for future development. The format has been kept brief and no attempt has been made to cover all possible situations or to provide lengthy explanations.

These design standards are intended to be used in conjunction with the City's Public Works Construction Standards. In the event of discrepancies between these standards and the Public Works Construction Standards (PWS) or between the text of these standards and the standard details, the more stringent requirements as determined by the City Engineer and Public Works Superintendent shall apply.

Copies of these design standards can be obtained from City of Mt. Angel, Oregon , PO Box 960, Mt. Angel, OR 97362 .

It is anticipated that revisions to the design standards will be made from time to time. The date appearing on the title page is the date of latest revision of the text portion of the standards. The date appearing on the details is the date of latest revision of that particular detail.

Copyright 1996
Westech Engineering, Inc.